Maryland Historical Trust

Maryland Inventory of Historic Properties number: 8-4625

Reviewer, NR Program: Peter E. Kurtze

The bridge referenced herein was inventoried by the Maryland State Highway Administration as part of Historic Bridge Inventory, and SHA provided the Trust with eligibility determinations in February 2001 The Trust accepted the Historic Bridge Inventory on April 3, 2001. The bridge received the following determination of eligibility. MARYLAND HISTORICAL TRUST	
Eligibility RecommendedX Eligibility Not Recommended	
Eligibility RecommendedX Eligibility Not Recommended Criteria:ABCD Considerations:ABCDEFGN	one
Reviewer, OPS: Anne E. Bruder Date: 3 April 2001	_

Date:__3 April 2001

MHT No. B-4625

MARYLAND INVENTORY OF HISTORIC BRIDGES HISTORIC BRIDGE INVENTORY MARYLAND STATE HIGHWAY ADMINISTRATION/MARYLAND HISTORICAL TRUST

SHA Bridge No. BC 3211 Bridge name Cold Spring Lane over Herring Run
LOCATION: Street/Road name and number Cold Spring Lane
City/town Baltimore City Vicinity
County Baltimore
This bridge projects over: Road Railway Water X Land
Ownership: State County _ Municipal X Other
HISTORIC STATUS: Is bridge located within a designated historic district? YesNo XNo XNo XNo X
National Register-listed district National Register-determined-eligible district Other
Name of district
BRIDGE TYPE:
Timber Bridge:
Beam Bridge Truss -Covered Trestle Timber-And-Concrete
Stone Arch Bridge
Metal Truss Bridge
Movable Bridge:
Swing Bascule Single Leaf Bascule Multiple Leaf Pontoon
Metal Girder :
Rolled Girder Rolled Girder Concrete Encased Plate Girder Plate Girder Concrete Encased
Metal Suspension
Metal Arch
Metal Cantilever
Concrete X: Concrete Arch_X Concrete Slab Concrete Beam Rigid Frame
Other Type Name

B-4625

DESCRIPTION:

Describe Setting:

Bridge BC 3211 carries Cold Spring Lane over Herring Run in Baltimore City. Cold Spring Lane runs east-west over the southern flowing Herring Run. The area immediately adjacent to the bridge is heavily developed and is on the edge of Morgan State University, close to residential areas.

Describe Superstructure and Substructure:

Bridge BC 3211 is a single span filled concrete arch bridge. The total length of the bridge is 67 feet with a 53-foot clear span. The bridge has a rise of approximately 20 feet from springline to crown. There is a clear roadway width of 36 feet 2 inches, with an overall width of 51 feet 10 inches. The arch barrel has moderate deterioration, cracking, and efflorescence. There are large areas of scale and reinforcement bar exposure at the joint of the parapet and the base of the abutment. The spandrel walls have large areas of cracking and patched areas from previous repairs. In addition, the walls have areas of efflorescence. There is a 1-inch angle strip and a 2-inch cove molding around the intrados. According to a 1995 inspection report, the bridge is in good condition with a sufficiency rating of 91.3.

The arch has rows of evenly spaced rust spots and the intrados has a longitudinal crack at the center. There is some light efflorescence and darker stains along the joint. The abutment was not visible for inspection. The wingwalls have small longitudinal cracks with exposed reinforcement bar.

The south parapet is original. The designers used a closed parapet design on the approaches and an open parapet design over the arch. The reinforced concrete railing consists of panels securely fastened by dowels to the structure. The north parapet has either been filled-in or has been replaced with a solid panel parapet. The parapets are 53 feet across both sides of the bridge. Both parapets have concrete erosion with random cracks and light scrapes. There is a 3-foot spall on the east side near the center. Most posts have spalls with surface erosion.

Discuss major Alterations:

There has been extensive patching throughout the bridge, and the north parapet was altered at an unknown date.

HISTORY:

WHEN was bridge built (actual	date or date range)	<u>1929</u>
This date is: Actual X	Estimated	
Source of date: Plaque X	Design plans	County bridge files/inspection form
Other (specify)		
WHY was bridge built? Widenin	g of city roads	
WHO was the designer? Baltimo	re City Department of	Public Works
WHO was the builder? Baltimor	e City Department of P	Public Works
WHY was bridge altered? To con	rrect structural deficien	cies of the north parapet.
Was bridge built as part of an or	ganized bridge-buildi	ng campaign?
Yes, this bridge was built as part of	f Baltimore City Road	extensions.
SURVEYOR/HISTORIAN ANA	LYSIS:	
This bridge may have National F	Register significance fo	or its association with:
A - Events X B- Per	son	
C- Engineering/architec	tural character Y	

This bridge was determined eligible by the Interagency Review Committee in June 1996.

Was bridge constructed in response to significant events in Maryland or local history?

The legislature of 1924 authorized the "creation of a State debt in the aggregate amount of \$4,500,000, the proceeds thereof to be used for the construction and widening of rural post roads and lateral roads, and the extension of the State Roads System in Maryland..." Twenty percent went to Baltimore City for the construction of the city's infrastructure. This legislation was repeated in 1927. Baltimore City was participating in the same construction activities as the counties. However, the construction of modern two-lane bridges to replace one-way bridge usually included lanes on the bridges for the right-of-way of the trolley lines. Baltimore City used construction funds in 1929 to complete this structure across Herring Run to increase development and access to the city's Northeast region.

When the bridge was built and/or given a major alteration, did it have a significant impact on the growth & development of the area?

No, this bridge did not have an impact on the development of the area.

Is the bridge located in an area that may be eligible for historic designation?

No, this bridge is not located in an area that is eligible for historic designation.

Is the bridge a significant example of its type?

Yes, this is a significant example of a concrete arch bridge. This bridge represents Baltimore City's use of standard design methods. Although the city did not have standards for specific arches, standardization of design methods was encouraged for economic reasons.

Does bridge retain integrity of important elements described in Context Addendum?

The bridge retains its character defining elements. Although patched, the arch barrel still exhibits its original design and condition. The north parapet has been altered and is now of solid panel design. The south parapet, arch ring, abutments, wingwalls, and spandrel walls have not been altered.

Is bridge a significant example of work of manufacturer, designer and/or engineer?

Yes, this is a significant example of the work of the Baltimore City Department of Public Works.

Should bridge be given further study before significance analysis is made?

No, this bridge does not require further study.

BIBLIOGRAPHY:

City/County inspection/bridge files X SHA inspection/bridge files X Other (list):

SURVEYOR/SURVEY INFORMATION:


Date bridge recorded June 1996

Name of surveyor Stacie Webb


Organization/Address State Highway Administration 707, North Calvert Street, Baltimore, MD

Phone number 410-545-8559

Edited by P.A.C. Spero & Company, December 1997



B-4625
Bridge BC 3211
Cold Spring Lane over Herring Run
Baltimore City
Baltimore East Quad



SArmory

DRIVE



Name 2211 - COLD SPRING LANE OVER NERRING ! County/State BALTIMURE CITY/MO
Name of Photographer TIM SCHOEN
Date 1195
Location of Negative SHR
Description EAST APPROACH
°
Number 25 of 36 5

48mldroom[243563 4611 N N N N N



County/S	3211-COLD SPRING LANE OVER HERRINGRUM
Name of	Photographer TVM SCHUEN
Date	1/95
Location	of Negative SHA
Descripti	on NORTH ELEVATION
2	6
Number	27 of 36 5

Inventory # 8-4625



County/State	BALTIM	ORE CITYIA	10
Name of Pho	tographer	TIM SCHOE	~
Date	5		
Location of N	legative 💆	AK	
Description _	WEST	APPROACH	
4			
2	of 365	•	

Inventory # <u>B-4625</u>

CITY: OF BALTIMORE EPARTMENT OF BUILDIG WORKS DUREAU OF HIGHWAYS

ERFOTED) 1929

WILLIAM FIBROUNING, MAYOR
CHARLES F. GCOB, CHIEF ENGINEER
ATHAN L. SMITH, HIGHWAYS ENGINEER
MARRY R. NOEL, DESIGNING ENGINEER

County/State BATIMURE Name of Photographer IIM Date 195	SCHOEN
Date 1195	
1	
107	
Location of Negative SHA	
Description ID IMPRINT &	WEST END OF
SULTH PAT	LAPET

Inventory # B-4625



Inventory # <u>B-4625</u>

Name 3211-COLD SPRING LANE OVER HERRING RUN County/State BALTIMORE CITY/MD	
Name of Photographer TIM SCHOEN Date 1 95	-
Location of Negative SHA	
Description SOUTH EVENATION	
Number 27 of 35 5	-